| Ref<br># | Hits | Search Query   | DBs   | Default<br>Operator | Plurals | Time Stamp       |
|----------|------|--|---|---------------------|---------|------------------|
| S1       | 0    | leblanc-wilfred.in.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/12/03 10:55 |
| S3       | 16   | leblanc-wilfrid.in.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/12/02 13:41 |
| S4       | 3    | (370/229).ccls. and (buffer queue memory) and playout and ((loss error) adj rate) same (adjust\$ increas\$ decreas\$) same (threshold limit parameter) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/12/03 11:06 |
| S5       | 4    | (370/352).ccls. and (buffer queue memory) and playout and ((loss error) adj rate) same (adjust\$ increas\$ decreas\$) same (threshold limit parameter) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/12/03 13:37 |
| S6       | 0    | (370/230).ccls. and (buffer queue memory) and playout and ((loss error) adj rate) same (adjust\$ increas\$ decreas\$) same (threshold limit parameter) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/12/03 12:54 |
| S7       | 1    | (370/235).ccls. and (buffer queue memory) and playout and ((loss error) adj rate) same (adjust\$ increas\$ decreas\$) same (threshold limit parameter) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/12/03 12:22 |
| S8       | 19   | (370/235).ccls. and (buffer queue memory) and ((loss error) adj rate) same (adjust\$ increas\$ decreas\$) same (threshold limit parameter)             | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/12/03 12:22 |
| S9       | 1    | (370/230.1).ccls. and (buffer queue memory) and ((loss error) adj rate) same (adjust\$ increas\$ decreas\$) same (threshold limit parameter)           | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/12/03 12:55 |
| S10      | 15   | (370/232).ccls. and (buffer queue memory) and ((loss error) adj rate) same (adjust\$ increas\$ decreas\$) same (threshold limit parameter)             | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/12/03 13:37 |
| S11      | 3    | (("6549587") or ("6882711")).PN.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2005/12/03 13:06 |

| S12 | 10 | (370/412).ccls. and (buffer queue memory) and ((loss error) adj rate) same (adjust\$ increas\$ decreas\$) same (threshold limit parameter)          | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/03 13:50 |
|-----|----|---|---|----|-----|------------------|
| S13 | 1  | (370/415).ccls. and (buffer queue memory) and ((loss error) adj rate) same (adjust\$ increas\$ decreas\$) same (threshold limit parameter)          | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/03 13:51 |
| S14 | 2  | (370/428).ccls. and (buffer queue memory) and ((loss error) adj rate) same (adjust\$ increas\$ decreas\$) same (threshold limit parameter)          | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/03 13:52 |
| S15 | 2  | (370/429).ccls. and (buffer queue memory) and ((loss error) adj rate) same (adjust\$ increas\$ decreas\$) same (threshold limit parameter)          | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/03 13:55 |
| S16 | 54 | (370/252).ccls. and (buffer queue<br>memory) and ((loss error) adj rate)<br>same (adjust\$ increas\$ decreas\$)<br>same (threshold limit parameter) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/03 14:00 |
| S17 | 3  | (370/487).ccls. and (buffer queue<br>memory) and ((loss error) adj rate)<br>same (adjust\$ increas\$ decreas\$)<br>same (threshold limit parameter) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/03 14:05 |
| S18 | 5  | (370/516).ccls. and (buffer queue<br>memory) and ((loss error) adj rate)<br>same (adjust\$ increas\$ decreas\$)<br>same (threshold limit parameter) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/04 10:57 |
| S19 | 0  | (370/521).ccls. and (buffer queue<br>memory) and ((loss error) adj rate)<br>same (adjust\$ increas\$ decreas\$)<br>same (threshold limit parameter) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/03 14:05 |
| S20 | 44 | ("370"/\$).ccls. and<br>@ad<"19991209" and playout same<br>(buffer\$3 queue)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/04 14:21 |
| S21 | 2  | ("4,569,042").PN.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/12/04 14:04 |

| S22 | 27  | S20 and (threshold limit)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/04 14:14 |
|-----|-----|--|---|----|-----|------------------|
| S23 | 1   | ("370"/\$).ccls. and<br>@ad<"19991209" and jitter and<br>(delay same (buffer queue)) and<br>(fuzzy adj1 logic) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/04 14:35 |
| 524 | 5   | ("5341366").PN.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/12/04 14:27 |
| S25 | 8   | ("370"/\$).ccls. and<br>@ad<"19991209" and jitter and<br>(linear same delay same (buffer<br>queue))            | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/04 14:41 |
| S26 | 100 | ("370"/\$).ccls. and<br>@ad<"19991209" and jitter and<br>(step same delay same (buffer<br>queue))              | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/04 14:41 |
| S27 | 4   | ("370"/\$).ccls. and<br>@ad<"19991209" and jitter and<br>((step near delay) same (buffer<br>queue))            | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/04 14:44 |
| S28 | 5   | ("370"/\$).ccls. and<br>@ad<"19991209" and congestion<br>and ((step near delay) same (buffer<br>queue))        | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/05 09:16 |
| S29 | 25  | ("370"/\$).ccls. and<br>@ad<"19991209" and congestion<br>and (incremental same (buffer<br>queue))              | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/05 09:52 |
| S30 | 4   | ("370"/\$).ccls. and<br>@ad<"19991209" and congestion<br>and (incremental near delay same<br>(buffer queue))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/05 10:31 |
| S31 | 1   | ("375"/372).ccls. and<br>@ad<"19991209" and congestion<br>and (incremental step) same (buffer<br>queue)        | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/05 10:33 |

| S32 | 1  | ("375"/372).ccls. and<br>@ad<"19991209" and congestion<br>and (increment\$ step) same (buffer<br>queue)            | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/05 10:34 |
|-----|----|--|---|----|----|------------------|
| S33 | 7  | ("375"/372).ccls. and<br>@ad<"19991209" and (increas\$)<br>near (size depth) same (buffer<br>queue)                | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/05 10:45 |
| S34 | 23 | ("370"/428,429).ccls. and<br>@ad<"19991209" and (increas\$)<br>near (size depth) and (buffer<br>queue)             | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/05 10:49 |
| S35 | 9  | ("370"/428,429).ccls. and<br>@ad<"19991209" and (increas\$)<br>near (size depth) same (buffer<br>queue)            | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/05 11:38 |
| S36 | 22 | ("370"/\$).ccls. and<br>@ad<"19991209" and (loss adj1<br>rate) and second adj1 threshold                           | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/05 11:38 |
| S37 | 12 | ("370"/\$).ccls. and<br>@ad<"19991209" and (loss adj1<br>rate) and (second adj1 threshold)<br>same (buffer queue)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/05 13:32 |
| S38 | 0  | ("375"/372).ccls. and<br>@ad<"19991209" and (loss adj1<br>rate) and (second adj1 threshold)<br>same (buffer queue) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/05 13:33 |
| S39 | 0  | ("375"/372).ccls. and<br>@ad<"19991209" and (loss<br>unreceived) near estimat\$                                    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/05 13:33 |
| S40 | 42 | ("370"/\$).ccls. and<br>@ad<"19991209" and (loss<br>unreceived) near estimat\$                                     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/05 13:33 |